

Keladi Shivappa Nayaka University of Agricultural and Horticultural Sciences, Shivamogga, Karnataka

Gramin Krishi Mausam Sewa Project

Agromet Advisory Service Bulletin for Dakshina Kannada District

(Issued jointly by India Meteorological Department, Pune & MC, Bengaluru and GKMS, Zonal Agricultural and Horticultural Research Station, Brahmavar-576213 Udupi District, Karnataka)



Weather Forecast from 30.11.2024 to 04.12.2024

No. GKMSB/075/2024

Date: 29.11.2024 Weather Forecast Issued by the India Meteorological Department for Dakshina Kannada District for the coming five days - until 0830 hrs of 30.11.2024 to 04.12.2024

Sl. No	Weather Parameters	Day-1 (30.11.2024)	Day-2 (01.12.2024)	Day-3 (02.12.2024)	Day-4 (03.12.2024)	Day-5 (04.12.2024)	Past Week Mean	Forecast Mean
1	Rainfall (mm)	0	0	4	16	18	0	38↑
2	Max Temp (°C)	32.6	29.8	30.2	29.7	28.6	34.7	30.2↓
3	Min Temp (°C)	21.4	23.1	23.4	23.1	23.1	20.8	22.8↑
4	Cloud cover (Okta)	7	8	8	7	6	3	7 ↑
5	Max. Relative Humidity (%)	80	87	92	94	95	67.6	89.6↑
6	Min. Relative Humidity (%)	41	56	56	55	64	59	54.4↓
7	Wind Speed (Kmph)	5	3.1	2.6	4.3	3.8	6.6	3.8↓
8	Wind Direction (°)	69	45	34	95	107	202	70 ↓
9	Forecast Warning	NIL	NIL	TSH	TSH	TSH R+		
10	Chance of Occurrence (%)	DRY	DRY	25-50	50-75	50-75		

As per the extended range rainfall forecast given by IMD, New Delhi and MC, Bangalore for coastal region of Karnataka including Dakshina Kannada district the rainfall will be Above Normal from 04.12.2024 to 10.12.2024

Summary of Weather Forecast for next Five days


As per the Weather forecast issued by the India Meteorological Department, Pune and Bengaluru for Dakshina Kannada district, Cloudy weather associated with thunderstorm with lightning chance of LIGHT TO MODERATE rainfall in more places of district, is very likely to be expected for next five days. The maximum temperature would be around 28.6-32.6°C and minimum temperature would be around 21.4-23.4°C to during next five days. The Morning Relative humidity (RH) would vary from 80-95 per cent, Evening Relative humidity (RH) would vary from 41-64 per cent and wind speed will be in the range of 2-5 km/hr.

Mobile Applications developed by India Meteorological Department for the benefit of Farming Community Farmers are suggested to download the app using below links

	Mausam:	Meghdoot:	Damini:
Andriod:	https://play.google.com/store/app	https://play.google.com/store/apps/detail	https://play.google.com/store/apps/det
	s/details?id=com.imd.masuam	s?id=com.aas.meghdoot	ails?id=com.lightening.live.damini
Apple	https://apps.apple.com/us/app/id1	https://apps.apple.com/in/app/meghdoot/	https://apps.apple.com/app/id1502385
OS:	<u>522893967</u>	<u>id1474048155</u>	<u>645</u>

Decadal Rainfall (mm) Comparison:

Year	30 years Mean	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024
Rainfall	3710.5	3325.3	2816.3	2383.4	2827.1	3000	3381.2	4118.4	4110.8	4110.8	3879.9	3316.6	3677.0
Rainy days	105	127	112	107	119	121	112	123	126	152	125	105	133



Warnings for Costal Karnataka					
Date of Issue: November 29, 2024					
Day 1:November 29, 2024	No Warning				
Day 2: November 30, 2024	No Warning				
Day 3: December 1, 2024	Thunderstorm & Lightning, Squall etc				
Day 4: December 2, 2024	Thunderstorm & Lightning, Squall etc				
Day 5: December 3, 2024	Heavy Rain Thunderstorm & Lightning, Squall etc				

Block wise Weather forecast for Dakshina Kannada district issued by IMD, New Delhi from					
	30.11.20	024 to 04.12.2024			
Date	Block Name	Weather forecast			
30.11.2024 to 04.12.2024	Bantwala	Chances of Drizzle to Moderate rainfall with cloudy weather may prevail			
30.11.2024 to 04.12.2024	Belthangady	Chances of Drizzle to Moderate rainfall with cloudy weather may prevail			
30.11.2024 to 04.12.2024	Dakshina Kannada	Chances of Drizzle to Moderate rainfall with cloudy weather may prevail			
30.11.2024 to 04.12.2024	Puttur	Chances of Drizzle to Moderate rainfall with cloudy weather may prevail			
30.11.2024 to 04.12.2024	Sulya	Chances of Drizzle to Moderate rainfall with cloudy weather may prevail			

Weather based Agromet Advisories for Udupi District

General Advisory:

Chances of Drizzle to Moderate rainfall with cloudy weather may prevail over the blocks of a district.

Farmers can Mulch the root zone of a crop with dried leaves or crop residues to save the moisture or to avoid the loss of water from root zone.

In Paddy fallows farmers can go for sowing of Dicot crops like Black gram, Green gram, Beans and Green Manure seeds in the residual moisture.

Animals should be tied at closed rooms or cattle sheds to protect them from cold and animals that are grazed outside in afternoon hours should be equipped with wet gunny bags over their back to reduce stress due to heat.

Horticulture Crops:

Crop	Operations/ Agromet Advisories				
Arecanut	Farmers can Mulch the root zone of a crop with dried leaves or crop residues to save the				
(Water	moisture or to avoid the loss of water from root zone. Farmers should irrigate the				
management)	cropi.e., 20 litre per day per palm.				
Arecanut	Farmers can Spray Hexaconazole or Propiconazole or Difenconazole 1ml/ltr to the				
(Leaf Spot)	infected leaves.				
Coconut	Farmers can Mulch the root zone of a crop with dried leaves or crop residues to save the				
(Water	moisture or to avoid the loss of water from root zone. Farmers should irrigate the				
management)	cropi.e., 35 litre per day per palm.				

Banana (General Advice)	 5 months After planting spray Banana special @5gm/ltr of water at an interval of 30days or one month.(For one sprayer spray solution add 1 lime and shampoo) Bunch Treatment: To get good yield & quality bunches treat the bunch with 10 gram of Urea,10 gm of Potassium Sulphate & 0.5kg of cowdung should be mixed with 100ml of water & tie to end of bunch 				
Black Pepper	• Farmers can Mulch the root zone of a crop with dried leaves or crop residues to save				
(Water	the moisture or to avoid the loss of water from root zone. Farmers should irrigate the				
management)	crop upto 20litre per day per vien.				
Jasmine	Right time to prune Jasmine plant. Diseased plant parts & dried shoots should be				
(Pruning)	pruned first. Pruned parts should be smeared with 10% Bordo paste				
Jasmine	• For the Management of leaf spot disease, spray with Hexaconazole @ 1ml/litre of				
(Leaf Spot)	water.				
Cashew	Clean the infected place. After cleaning fill the infected part with Chloropyriphos				
(stem borer)	granules mixed with sand(1:1 ratio)				
Cashew	• Formers should enroy Monogratophes @ of 1.7ml/ltr or Landaevelethrin @				
(Tea Mosquito	• Farmers should spray Monocrotophos @ of 1.7ml/ltr or Lamdacyalothrin @				
Bug)	0.5ml/ltr.				

Cereals and Pulses:

Paddy Time is suitable for harvest of fully matured paddy crop. Harvested paddy grains	
(Harvesting)	should be stored in safe place.
Agronomic	After the harvest of paddy farmers can go for sowing of Dicot crops like Black gram,
Advice	Green gram, Beans and Green Manure seeds in the residual moisture.

Animal Husbandry:

	-
Cattle	➤ Animals should be tied at closed rooms or cattle sheds to protect them from cold.
(General advise)	Cleanness should be maintained at Cattle shed & make sure of proper ventilation.
	> Right time for deworming.(contact nearest Veterinary officer for deworming
	tablets)
	> To avoid Bowain Mastitits Complete sucking of milk should be done without
	miss from Udder.

(This Agro Advisory Information is based on Weather forecast received from MC, Bengaluru & IMD,New Delhi)

Mr. Praveen K.M Technical Officer, GKMS, ZAHRS, Brahmavar, Udupi. Dr. K.V. Sudhir Kamath Nodal Officer, GKMS,